

Culinary Series Premium Countertop Cooking Equipment





Ignite your inner flame!

Radiant Char-Broiler offers a variety of top grate options

28,000 BTU/hr. open burners, Anti-clogging **PyroCentric™** burners are standard "Designer look" low profile line-up countertop units match each other and Imperial ranges

Stainless steel 5" landing ledge provides extra work space

Anti-clogging pilot shield is designed into the lift-off 12" x 12" grate

Double skate rollers for added drawer durability

Stainless steel front, sides, landing ledge are standard features

Rear gas connections are standard for all cooktops

Sizzle 'n Chill refrigerated bases are convenient and save kitchen runaround. Maintains 36° - 40° F. interior drawer temperature

Refrigerated bases are available in 36", 48" and 60" widths Self-closing drawer holds two full-size steam table pans. Drawer dividers allow various pan size configurations



applications

are optional

Chrome plated mirror finish

and grooved griddle tops

Culinary Series

Premium Countertop Cooking Equipment

Imperial sets the standard for Countertop Equipment.

Imperial countertop equipment is built for rugged use and long life. It is engineered with advanced features for optimal performance. It maximizes valuable kitchen space and satisfies the most demanding cleaning requirements while assuring low operating and maintenance costs.

Imperial's Countertop Line-up offers a complete selection of components for chefs who want something special in gas cooking equipment. Many different models with are available with self-contained, integrated refrigerated systems, standard refrigerated bases and equipment stands.

Choose from this equipment to customize your Imperial Line-up:

- Broilers
 - Char-rock broilers
 - Steakhouse broilers
 - Radiant broilers
 - Chicken broilers
 - Mesquite wood broilers
- Fryers
- Griddles
 - Snap action griddles
 - Solid state griddles
- Manually controlled griddles
- Thermostat controlled griddles
- Griddles with open burners
- Grooved griddles
- Raised griddle/broilers
- Teppan-Yaki griddles
- Chrome mirror finish griddle tops
- Hot Plates
 - Step-up hot plates
- Sizzle 'n Chill refrigerated base systems, remote or self-contained
- Equipment stands

Quality and performance are standard with Imperial, anything less is *not* an option.





"S" Grate Cooktop Surface

temperatures.

section to section.

· Provides a variety of cooking

· Design allows pots to slide from



Cast Iron Char-Broiler Grates for Every Application

- 3-bar flat/reversible grate.
- 4-bar grate for fish.
- 7-bar slanted fin grate.



Floating Round Rod GrateSolid cold rolled rods prevent sticking and warping.





Steakhouse Broiler Burner Options

- Searing hot surface temperature.
- 45,000 BTU cast iron "H" burner yields true char-rock sizzle.
- 20,000 BTU stainless steel burners with cast iron radiants provide maximum heat retention and intense surface temperatures.
- 20,000 BTU stainless steel burners with stainless steel radiants provide quick heat-up while minimizing flare-ups.

Steakhouse Char-Broiler is Ideal for High Production

- Three grate options.
- Three position cooking grate.
- Searing surface temperature.

Gridc

- Gri
- Fro cle
- De

Gridc • Ma

- 30,
- Snc

Optic

- Eas
- Inc gric cos
- Ten
 cor
- Rec me

Groo

- Gri
- Ful
- Ch



Ile Cleaning Conveniences ddles feature a wide stainless el grease trough.

nt is one-piece rolled for easy aning.

ep grease can has 1 gallon pacity.

the Burner Options
Inual and thermostatic 12"
000 BTU/hr.





onal Chrome Plated Mirror Finish sy to clean.

reases heat retention within ddle plate to lower operating sts.

nperature is more evenly ntrolled across the griddle plate.

duces flavor transfer between nu items.



iddles plates are grooved at the story for quick delivery.

If or partial grooving are standard, frome finish available.

Sizzle 'n Chill Refrigeration



Sizzle 'n Chill Self-contained Refrigerated Base System for Countertop Equipment

- Self-contained refrigerated bases are available for griddles, broilers and hot tops.
- Cold storage addresses food safety concerns.
- Energy efficient. Does not require installation, simply plug into a 110 V. outlet.
- Fully insulated cabinet and drawers to prevent temperature migration.
- Gasket surrounds drawer to ensure temperature maintenance.
- Front mounted digital thermometer is easy to read.
- Each refrigerated drawer holds two full size pans. Top drawer holds
 6" deep pans, bottom holds 4" deep pans.
- Recessed drawer handles are conveniently out of the way.
- Oversized stainless steel drawer guides with heavy duty double skate rollers and stainless steel bearings can withstand 275 lbs.
- · Drawers remove easily for cleaning.
- Stainless steel front, ledge and sides.
- UL, UL Canada, UL Sanitation Certified and complies with NSF7.

Also available with integrated "one-piece" Sizzle 'n Chill systems with a variety of broiler, griddle and hot plate tops.



Culinary Series - Premium Countertop Cooking Equipment

Char-Broilers



Steakhouse Broilers

- 3 burner options.
- 3 position grate.
- 3 top grate options for more cooking flexibility.
- Searing surface temperature for high production output.
- Stainless steel front and sides.



Imperial II Char-Broilers

- Char-rock provides high temperatures to sear-in
- 35,000 BTU/hr. "H" type burner is located every 12".
- Stainless steel front and sides.
- Space saving 23" depth.



Radiant Char-Broilers

- Individually controlled 15,000 BTU/hr. stainless steel burners are located every 6".
- Removable reinforced cast iron radiants prevent clogging of burners and provide attractive charbroiler markings.
- Stainless steel front and sides.
- Includes 4" adjustable



Chicken Broilers

- 250.000 BTU/hr. assures even heat distribution for fully cooked chickens.
- Large 36" deep broiling surface will hold 15 three pound chickens.
- Non-stick cooking top grate made of round rod designed for chicken.
- Stainless steel front and sides.



Mesquite Wood Broilers

- Built-in gas log lighter burner eliminates the need for lighter fluids or electric starters.
- Burner may be used to start up wood during "peak" times.
- Broiler may use any type of wood or charcoal.
- Stainless steel front, door and sides

Griddles



Snap Action Griddles

- 24,000 BTU/hr. "U" shaped burner every 12" with heat diffuser plate to to speed temperature recovery.
- Snap action thermostat control every 12".
- Fast recovery ±7°F. Solid state model has a ±2°F.
- Stainless steel front and sides.



Heavy Duty Manually Controlled Griddles

- 30,000 BTU/hr. burner located every 12".
- Range match profile when placed on a refrigerated base or equipment stand.
- 3¹/₂" w. grease trough and 1 gal. grease can.
- Includes 4" adjustable legs.



Heavy Duty Thermostatically **Controlled Griddles**

- 30,000 BTU/hr. burner located every 12".
- Range match profile when placed on a refrigerated base or equipment stand.
- 31/2" w. grease trough and 1 gal. grease can.
- Includes 4" adjustable leas.



Grooved Griddles

- 30.000 BTU/hr. burner located every 12".
- 1" thick grooved plate.
- Range match profile when placed on a refrigerated base or equipment stand.
- Stainless steel front and sides.
- Includes 4" adjustable



Teppan-Yaki Griddles

- 30.000 BTU/hr. burner located in the center "hot spot" of the griddle plate for Japanese steakhouse cooking.
- 3/4" thick polished
- Stainless steel front and sides.

Hot Plates



Hot Plates

- 28,000 BTU/hr. PyroCentric® burner heads for high performance cooking and easy cleaning.
- Range match profile when placed on a refrigerated base or equipment stand.



Step-Up Hot Plates

- 28,000 BTU/hr. **PyroCentric** burner heads for high performance cooking and easy cleaning.
- Range match profile when placed on a refrigerated base or equipment stand.

Fryer



25 lb. Fryer

- 25 lb. oil capacity.
- 14" x 12¹/2" frying area.
- 65,000 BTU/hr. tube fired burner.
- Stainless steel frypot, front, sides and back

Raised Griddle Broiler



Raised Griddle/Broilers

- 15.000 BTU/hr. burner located every 12".
- Stainless steel front and sides.
- Broiler grate easily pulls out.

