

Model: ACB-48

- ☐ ACB-16 Gas radiant broiler☐ ACB-24 Gas radiant broiler☐ ACB-36 Gas radiant broiler
- ☐ ACB-48 Gas radiant broiler
- ☐ ACB-60 Gas radiant broiler

STANDARD FEATURES

- Stainless steel front and sides
- Steel U-shape burner, each 30,000 BTU/hr
- To be controlled every 12 "
- Cold rolled steel radiant cover
- Cast iron cooking grate can be reversed for different food
- Cooking grate height can be adjusted
- Standby S/S pilot for easy start
- Adjustable heavy duty legs
- Grease through channel in the front
- Stainless steel oil collector in the bottom
- Stainless steel splash guard at 3 sides
- Durable brass control valve
- Easy access to pilot valve adjustment screws
- Easy gas conversion in field
- 3/4" NPT rear gas connection
- Shipped with gas regulator
- One year limited parts and labor warranty

INSTALLATION INSTRUCTIONS

- A gas pressure regulator supplied with the unit must be installed. Natural Gas 4.0" (102 mm)
 W.C. Propane Gas 10.0" (254 mm) W.C.
- 2. An adequate ventilation system is required for commercial cooking equipment.
- These units are manufactured for installation in accordance with National Fuel Gas Code, ANSI– Z223.1/NFPA #54 (latest edition).
- 4. This appliance is intended for commercial installation only and is not intended for home use.

5. Equipment clearance requirement:

Non-Combustibles Combustibles

Sides 0" Sides 4"

Back 0" Back 4"


- 6. All the installation must be performed by qualified technicians.
- 7. For gas conversion, please refer to conversion instructions in the Instruction Manual Book.

879 South West 4400, Salt Lake City, Utah 84104

Phone: 888-987-7894



Plan View



Model	BTU/HR	Cooking dimension	Burner Qty	Packing Size(IN)	N/W (LB)	G/W (LB)
ACB-16	30,000BTU	16x18.3	1	20x31x20	95	121
ACB-24	60,000BTU	24x18.3	2	29x31x20	119	154
ACB-36	90,000BTU	36x18.3	3	40x31x20	163	218
ACB-48	120,000BTU	48x18.3	4	50x31x22	244	359
ACB-60	150,000BTU	60x18.3	5	63x31x22	300	415

Phone: 888-987-7894