

BUNN®

AXIOM-DV-APS

Medium volume brewing solution featuring Digital Brewer Control for precise extraction control

9 in x 23.6 in x 18.5 in

120
(8 ounces servings)




- Front of machine programming simplifies installation
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Airpots are easily transported to remote meeting rooms, breakfast bars, etc
- Brews directly into 1.9 to 3L airpots
- Convenient airpot keeps coffee hot and fresh for hours
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand

Related products

- 20115.0000 Regular Paper Filters 1000/case
- 20583.0003 Funnel
- 30200.1000 EQ-17-TL
- 30201.1001 IN LINE ED-17-TL
- 13041.0001 2.5L Push Button Airpot(1pk)
- 13041.0101 2.5L Push Button Airpot(6pk)
- 28696.0002 2.2L Push Button Airpot (1pk)
- 28696.0006 2.2L Push Button Airpot (6pk)
- 32125.0000 2.5L Lever Action Airpot (1pk)
- 32125.0100 2.5L Lever Action Airpot (6pk)

Product No	Product Category	Water Access	Electrical (Voltage)	UPC
38700.0010	Coffee Brewer	Plumbed	120	72504081458
Coffee Server Type	Coffee Capacity Range	Brewer Type	Finish	Number of Wires (+GND)
Airpot	Medium	Automatics Thermal Systems	Stainless	2
Cord Attached	Plug Type	BrewLOGIC	BrewWIZARD	2D Format CAD Available
Yes	NEMA 5-15P	Yes	Yes	Yes
Minimum Input Pressure	Maximum Input Pressure	Inlet Water Fitting	Digital Brewer Control	Faucet Location
20 PSI	90 PSI	1/4" Male Flare Fitting	Yes	Upper
Funnel Type	Machine Depth	Machine Width	Machine Height	Shipping Box Length
Black Plastic	18.5 in	9 in	23.6 in	25.2 in

Shipping Box Width	Shipping Box Height	Shipping Weight	Volume of shipped box
11.3 in	27.8 in	35.21 lb	4.58 ft ³



Electric & Capacity

Electrical Configuration Option
 Volts-Factory Wired: 120
 Phase-Factory Wired: 1
 Watts-Factory Wired: 1500
 Hertz-Factory Wired: 60
 Amps-Factory Wired: 12.5

Volts at Opt 1 Wiring:120
 Watts at Opt 1 Wiring:1,500
 Amps at Opt 1 Wiring:12.5
 Coffee Capacity (Servings/Hour):67.2

Electrical Configuration Option 1
Volts at Opt 2 Wiring:120/208
Watts at Opt 2 Wiring:2,680
Amps at Opt 2 Wiring:13
Coffee Capacity (Servings/Hour):120

Electrical Configuration Option 2
Volts at Opt 3 Wiring:120/240
Watts at Opt 3 Wiring:3,550
Amps at Opt 3 Wiring:15
Coffee Capacity (Servings/Hour):120

To see illustrated parts manuals, visit bunn.com/support/manuals

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com. All dimensions shown in inches.