

ACR1601W



76.75" x 23.38" x 28.13" (H x W x D)

Upright healthcare all-refrigerator with self-closing solid door, front lock, digital controls, and external temperature readout

Highlights:

Designed and constructed for reliable cold storage in healthcare facilities

Factory installed lock provides security you can count on

Self-closing door protects interior products from ambient temperatures


Product Features:

| | |
|--------------------------------|--|
| EQTemp Healthcare Refrigerator | All-refrigerator designed to operate between 2 and 8°C for a variety of storage application in medical offices and other healthcare facilities |
| Temperature Range: 2° to 8°C | Preset to 5°C as recommended for many storage applications |
| Large capacity | Full 15.53 cu.ft. capacity inside conveniently slim footprint |
| External temperature readout | Audible alarm sounds if the interior temperature rises or falls out of set range |
| High/low temperature alarm | Thermometer probe is encased in a glass bead-filled bottle and stored in a fixed box on the center shelf. This is the ideal way to produce temperature readings closest to stored contents, as recommended by the CDC and VFC's guidelines |
| Buffered temperature probe | Thermometer probe is encased in a glass bead-filled bottle and stored in a fixed box on the center shelf. This is the ideal way to produce temperature readings closest to stored contents, as recommended by the CDC and VFC's guidelines |
| Access port | 3/8" probe hole with cover is pre-installed in unit's side to allow easy installation of user-provided monitoring equipment |
| Factory installed lock | Keyed lock for a secure interior (2 keys included) |
| Automatic defrost | Reduced user maintenance with automatic defrost |


ACR1601W Specifications:

| Overview | |
|----------------------------|----------------------|
| Height of Cabinet | 76.75" (195 cm) |
| Width | 23.38" (59 cm) |
| Width with Door Open | 23.63" (60 cm) |
| Depth | 28.13" (71 cm) |
| Depth with door at 90° | 28.38" (72 cm) |
| Capacity | 15.53 cu.ft. (440 L) |
| Defrost Type | Automatic |
| Door | White |
| Cabinet | White |
| US Electrical Safety | ETL |
| Canadian Electrical Safety | ETL-C |
| Amps | 2.0 |
| Voltage/Frequency | 115 V AC/60 Hz |
| Weight | 143.0 lbs. (65 kg) |
| Shipping Weight | 236.5 lbs. (107 kg) |
| Parts & Labor Warranty | 1 Year |
| Compressor Warranty | 5 Years |
| UPC | 761101083049 |
| Refrigerator Features | |
| Door Swing | RHD |
| Reversible | Factory Reversible |
| Height Adjustable | No |
| Shelf Type | Wire |
| Shelf Qty | 6 |
| Adjustable Shelves | Yes |
| Thermostat Type | Digital |
| Fan Type | Interior |
| Refrigerant Type | R600a |
| Refrigerant Amount | 2.0oz. |
| High Side PSI | 1.45 |
| Low Side PSI | 0.85 |
| Level Legs Qty | 2 |
| Interior Light | Yes |
| Temperature Range | 2° to 8°C |
| Dimensions | |
| Interior Height | 68.25" (173 cm) |
| Interior Width | 20.0" (51 cm) |

| | |
|------------------------|---------------|
| Interior Depth | 21.5" (55 cm) |
| Compressor Step Height | 9.0" (23 cm) |
| Compressor Step Width | 20.0" (51 cm) |
| Compressor Step Depth | 8.0" (20 cm) |



Top



Front