

pizzaXpress



Model No.

DXDD

Dough Docking Press

Docking your crust to eliminate separation or bubbles caused by steam and the expanding gas in the yeast has never been easier. The DXDD dough docking unit allows you to punch vent holes in the crust to prevent oil absorption and allow steam to escape. Unlike the standard hand held roller models, the DXDD docks crust after crust consistently in one easy motion, leaving a perfect edge. The DXDD is available with interchangeable 8" to 18" docking platens for docking up to and 18" pizza.

Variable Thickness Control


- makes it possible to achieve desired perforation

Dual Plated Upper Platen:

- durable dual plated aluminum platens
- steel docking pins inserted and trapped between platen layers to ensure pins can not come out
- weight of platen and steel docking pins provide better dough penetration vs. molded plastic versions

Production:

- Fast, safe and easy to use. Slide pressed dough onto bottom platen until dough carrier rests against magnetic stoppers on bottom platen, swing upper platen into place and pull down and raise handle.



Finished Product:

- consistent crust after crust
- no crust separation or bubbles
- maintains crust edge

Labor:

- docker requires no skilled labor
- docks crust in one motion, to ensure consistency and eliminate arm fatigue

Use:

- DXDD is easy to use... place pressed dough onto carrier, slide onto lower platen, swing upper platen into place then lower and raise handle



doughXpress

HIX Corporation Food Division

Product improvement may require us to change specifications without notice.

Revised March 2012

DOUGHXPRESS

1201 E. 27th Terrace
Pittsburg, KS 66762 USA

Toll Free: (800) 835-0606 ext.205

Tel: (620) 231-8568 ext.205

Fax: (620) 231-1598

doughxpress@hixcorp.com or visit www.doughxpress.com

pizzaXpress



Model No.

DXDD


Manual Pizza Press

Features Include:

- interchangeable docking platens
- swing-out upper platen for easy dough placement
- powder coated white finish with aluminum upper and lower platens
- stoppers on lower platen make for perfectly centered dough placement

Optional Features:

- docking platens available in – 8", 10", 12", 14", 16" & 18"



DIMENSIONS

Width: 16 1/26 inches, 49.91 centimeters

Height: 15-1/4 inches, 38.74 centimeters


Depth: 24 inches, 60.96 centimeters

WEIGHT

Shipping: 68 lbs.

Recommended Cleaning Instructions:

- wipe down with a moist towel - if needed, use damp sponge with minimal soap and water and then dry off



Intertek



doughXpress

HIX Corporation Food Division

Product improvement may require us to change specifications without notice.
Revised March 2012

DOUGHXPRESS

1201 E. 27th Terrace
Pittsburg, KS 66762 USA

Toll Free: (800) 835-0606 ext.205

Tel: (620) 231-8568 ext.205

Fax: (620) 231-1598

doughxpress@hixcorp.com or visit www.doughxpress.com