

DSLH Reach-Ins

Reach-In Heated w/Solid Doors

Models

☐ DSLH1-S

☐ DSLH2-S

☐ DSLH1-SH

☐ DSLH2-SH



DSLH1-SH

Standard Features

- Stainless steel exterior and interior
- easyTouch Control with remote monitoring capability
- Stay-open door feature for easy product loading and unloading
- Stainless steel door(s)
- Door activated interior LED light
- Heavy-duty cylinder lock
- Stainless steel interior door liner
- One piece, snap-in door gaskets
- Stainless steel breaker caps
- 3 silver freeze wire shelves
- 6" high adjustable stainless steel legs
- 8' cord and plug
- Adjustable Electronic Temp Control From 80°F To 180°F
- Built-In, Adjustable Humidity Control Vent
- Safety Shielded Strip Type Heating Elements
- Externally Mounted Blower Maintains Even Temperatures
- Three year parts and labor warranty and an additional 4 year compressor parts warranty.

Options & Accessories

- Stainless Steel Back And Shroud
- Tray Slides (type A & A/C)
- 3" Or 6" Casters
- Stainless Steel Kick Plate
- Door Swing Orientation (at time of order)
- Exterior Door Laminate
- Correctional Package
- Additional Shelves
- 6" Seismic Legs


Specifications

Heating system: Cabinets are designed to maintain temperatures between 80°F - 180°F. Units are heated with two bottom-mounted heating elements per section. The externally mounted blower allows for full use of interior cabinet while maintaining even temperatures. System is controlled using an electronic temperature control.




DSLH Heated Reach-Ins

DSLH Heated Reach-Ins



Welbilt reserves the right to make changes to the design or specifications without prior notice.

DSLH Heated Reach-Ins



Welbilt reserves the right to make changes to the design or specifications without prior notice.

DSLH Heated Reach-Ins

Specifications								
Model	V/Hz/Ph	Amps	Volume Cu. Ft.	SHELF CAPACITY SQ. FT.	No. of Shelves	Heater Watts	Ship Weight	Nema Plug
DSLH1-S DSLH1-SH	208-240/60/1	6.3	21.5	N/A	N/A	1500	320	6-20P
DSLH2-S DSLH2-SH	208-240/60/1	13	46.5	N/A	N/A	3000	440	6-20P

Welbilt reserves the right to make changes to the design or specifications without prior notice.