

## SUBMERSIBLE SCALE, 11 LB

The newest member of the *Submersible Scales* series, the Submersible Scale, 11 lb (SD1120) was designed for demanding foodservice kitchens. It is NSF<sup>®</sup> Certified, sturdy and programmable, featuring low/high limit alerts with the color-coded backlit display. The heavy-duty stainless steel SD1120 is submersible with an impressive IP68 rating, which certifies it to be protected from water up to 4.9 feet/ 1.5 meter for 60 minutes and completely protected against dust. Also available in a 22 pound capacity.



### FEATURES

- NSF<sup>®</sup> Certified
- Low/high limit alerts with backlit display
- Submersible (IP68: protected from water up to 4.9 feet/1.5 meter for 60 minutes, completely protected against dust)
- Hold mode
- Programmable
- Tare function
- Field calibration
- Stainless steel housing
- Removable stainless steel platform
- Rechargeable battery & power adapter

### SPECIFICATIONS

|                            |   |
|----------------------------|---|
| <b>Measurement Range:</b>  | 11 lb/5 kg/176 oz<br>by oz, / oz, kg, g, lb:oz, lb:/ oz, lb   |
| <b>Display Size:</b>       | 2.6 W x 1.06 H (in)/6.6 W x 2.7 H (cm)  |
| <b>Platform Size:</b>      | 5.38 W x 5.38 L (in)/13.7 W x 13.7 L (cm)   |
| <b>Product Dimensions:</b> | 5.6 W x 1.8 H x 7.9 D (in)/<br>14.3 W x 4.7 H x 20.0 D (cm)   |
| <b>Resolution:</b>         | 0.05 oz, 1/8 oz, 0.001 kg, 1 g,<br>0 lb:0.1 oz, 0 lb:1/8 oz, 0.002 lb   |
| <b>Power:</b>              | AC Adapter: 100-240 VAC 50/60Hz<br>input, 9V DC (1000mAh) output<br>included; Battery: built-in rechargeable<br>4.8V 1800 mAh included  |
| <b>Weight:</b>             | 28.4 oz / 805 g (including battery)   |
| <b>UPC:</b>                | 0 18436 00846 0   |
| <b>Other:</b>              | <ul style="list-style-type: none"> <li>• Selectable units</li> <li>• Stability indication</li> <li>• Overload indication</li> <li>• Low battery and charging indication</li> <li>• On/off button</li> <li>• Auto-off after 2 minutes,<br/>programmable to 5 minutes;<br/>disabled when AC adapter used</li> </ul> |

### AVAILABLE

11-23

