

# Super Runner Value Gas Fryers

Project	
Quantity	
CSI Section 11400	
Approval	
Date	

#### Models

☐ SR42G

☐ SR52G

☐ SR62G



#### Standard Features

- Tube-type frypot design
- Oil capacity

SR42G -- 43 lb. (21 liter)

SR52G -- 50 lb. (25 liter)

SR62G -- 75-lb. (37 liter)

• Btu/hr. input

**SR42G** -- 105,000 (26,481 kcal)

(30.8 kw) (3-tube)

SR52G -- 120,000 (30,600 kcal)

(35.2 kw) (4-tube)

**SR62G** -- 150,000 (37,783 kcal)

(44 kw) (5-tube)

Frying area

SR42G 14" x 14" x 3-7/8" (35 x 35 x 9.8 cm)

SR52G 14" x 14" x 3-1/2" (35 x 35 x 8.5 cm)

SR62G 18" x 18" x 3-3/4" (46 x 46 x 9.5 cm)
• Mechanical snap-action thermostat

- Millivolt control system requires no electrical hookup
- Thermo-tube design
- Wide cold zone
- Stainless steel frypot, front, door, and backsplash/flue cover, aluminized sides
- Wire form basket hanger and two fry baskets
- 6" (15 cm) adjustable steel legs
- 3/4" (1.9 cm) NPT gas connection

## Options & Accessories

- ☐ Stainless-steel sides
- ☐ Casters -- set of 4
- ☐ Natural and LP gas

### **Specifications**

#### Basic Frying At Its Best -- Designed For All-Purpose Usage

Fry a wide variety of products with Dean's Super Runner fryers which easily accommodate items from French fries to main entree menu selections. The fryers are available in three oil capacities utilizing 43 lbs., 50 lbs. and 75 lbs. of oil

Make the most of your energy dollars with Dean's exclusive Thermo-Tube design. The heating tubes provide a large oil contact surface. Flow-tube baffles control the transfer of heat into the oil. Dean's wide cold zone frypot protects oil integrity by trapping debris under the cooking area, preventing carbonization of particles and wasteful oil deterioration.

Dean's mechanical thermostat assures prompt recovery which reduces time lost between loads and requires no electrical hookup.

Dean's Super Runner gas fryers achieve dependability through simplicity of design, durable stainless steel baffles and rugged cast iron burners.











SR42 and SR62 Approved for Australia

5489 Campus Drive Shreveport, LA 71129 USA Tel: 318-865-1711

Tel: 1-800-221-4583

Fax: 318-868-5987


E-mail: info@dean.enodis.com

http://dean.enodis.com

Bulletin No. 830-0117 Revised 1/8/13 Litho in U.S.A. ©Frymaster







	DI	M	ΕN	IS	Ю	NS	
--	----	---	----	----	---	----	--

MODEL	OIL	OVERALL SIZE (cm)		DRAIN NO.		APPROXIMATE SHIPPING DIMENSIONS						
	CAPACITY	WIDTH	DEPTH	HEIGHT	VALVE HEIGHT (cm)	OF TUBES	WEIGHT	CLASS	CU. FT.	DIN	(cm)	S
SR42G	43 lbs. (21 liter)	15-1/2" (39.4)	29-1/4" (74.3)	45" (114.3)	18-3/8" (46.7)	3	150 (68 kg)	85	22	<b>W</b> 20-1/2" (52.1)	<b>D</b> 36" (91.4)	<b>H</b> 48-1/2" (123.2)
SR52G	50 lbs. (25 liter)	15-1/2" (39.4)	29-1/4" (74.3)	45" (114.3)	17-1/2" (44.5)	4	180 (82 kg)	85	22	20-1/2" (52.1)	36" (91.4)	48-1/2" (123.2)
SR62G	75 lbs. (37 liter)	20" (50.8)	35-1/2" (90.2)	45" (114.3)	19-3/4" (50.1)	5	255 (116 kg)	85	22	20-1/2" (52.1)	36" (91.4)	48-1/2" (123.2)

#### POWER REQUIREMENTS

MODE	NATURAL OR LP GAS INPUT RATING	GAS CONNECTION	ELECTRICAL REOUIREMENT
			7.
SR420	105,000 Btu/hr. (26,481 kcal) (30.8 kw)	3/4" N.P.T.	NONE
SR520	120,000 Btu/hr. (30,600 kcal) (35 kw)	Regulator not required for manifold pressure.	
SR620	150,000 Btu/hr. (37,783 kcal/hr.) (44 kw)	See note below.*	

#### **HOW TO SPECIFY**

The following description will assist with ordering the features desired for this equipment:

SR42	43-lb (21-liter) tube-type gas fryer with millivolt controller, and
	machanical chan action thormostat

SR52 50-lb (25-liter) tube-type gas fryer with millivolt controller and

mechanical snap-action thermostat

SR62 75-lb (37-liter) tube-type gas fryer with millivolt controller and

mechanical snap-action thermostat

#### ORDERING DATA

Please specify: Natural or propane gas Altitude -- if above 2000 ft. (610 m)

#### NOTE

DO NOT CURB MOUNT.

\*SUPPLY PRESSURE: DO NOT EXCEED 14" W.C. or 1/2 PSI.

 5489 Campus Drive
 Tel: 318-865-1711
 http://dean.enodis.com

 Shreveport, LA 71129
 Tel: 1-800-221-4583
 Bulletin No. 830-0117

 USA
 Fax: 318-868-5987
 Revised 1/8/13

 E-mail: info@dean.enodis.com
 Litho in U.S.A. ©Frymaster

