





Models: EICS-18 | EICS-18C | EICS-34

Safer than traditional gas or electric resistance burners, induction cooktops use magnetism to rapidly heat up induction cookware, which in turn heats up food. The ideal choice for tableside, catering and buffet-line cooking, induction cooktops are faster and more efficient than installed gas stovetops.

Standard Features

- Stainless steel body construction
- ◆ Compact, easy-to-clean, portable
- Easy to use digitally controlled wattage and temperature from warming to cooking for optimal cooking efficiency, control and speed
- ◆ 1800 Watt models: 100-1800W
- ◆ 3400 Watt models: 500-3400W
- ◆ High-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface
- ◆ Accommodates pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm)
- Small-article and pan detection
- ◆ Timer up to 150 min (2-1/2 hours)
- Auto safety shut-off
- ◆ ETL listed for safety and sanitation
- One year parts and labor warranty











For Canada only







For U.S. and Canda

For U.S. only

Accessories and Options

INDUCTION READY COOKWARE

Winco Tri-Gen Induction Cookware

Winco Premium Stainless Steel Cookware

Winco Induction Ready Aluminum Cookware

Winco Fire Iron Cast Iron Enameled and Pre-Seasoned Cookware

For California Customers


WARNING: Cancer and Reproductive Harm - <u>www.P65Warnings.ca.gov</u>

Winco®, DWL International Trading, LLC


www.wincous.com | equipsales@wincous.com



Model: EICS-18 | EICS-18C | EICS-34



TOP VIEW



MODEL	DESCRIPTION	OVERALL DIMENSIONS			VOLTS	HZ	WATTS	AMPS	PLUG	SHIP
		LENGTH	DEPTH	HEIGHT	VOLIS	ПД	WAIIS	AIVIPS	PLUG	WEIGHT
EICS-18	Induction Cooker	14-3/16" 18-1/8" 5-1/8" (360mm) (460mm) (129mm)			120V	60 Hz	1800W	15A	NEMA 5-15P	
EICS-18C			5-1/8" (129mm)	120V	60 Hz	1800W	15A	NEMA 5-20P	37.5 lbs (17.01 kgs)	
EICS-34		(3331111)	(.5511111)	(.2,11111)	240V	60 Hz	3400W	15A	NEMA 6-20P	(17.01 kgs)

Cord Location

Back of unit on right side

Plug Configurations



Product Specs

Electric Countertop Induction Cookers

The Electric Countertop Induction Cookers models EICS-18, EICS-18C and EICS-34 as manufactured by Winco®, Lodi, NJ 07644

The Electric Countertop Induction Cooker model EICS-18 shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-15P plug, model EICS-18C shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-20P plug, and model EICS-34 shall be rated at 3400 Watts, 240V~60Hz/1 and supplied with a NEMA 6-20P plug. Units shall be stainless steel body construction and equipped with easy to use digitally controls for wattage and temperature from warming to cooking for optimal cooking efficiency, control and speed (1800 Watt models range 100-1800W, 3400 Watt models range 500-3400W), high-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface, accommodate pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm), small-article and pan detection, timer up to 150 min (2-1/2 hours), auto safety shut-off.

ETL listed for safety and sanitation.

Warranty consists of one year parts and labor.

Winco®, DWL International Trading, LLC


www.wincous.com | equipsales@wincous.com

New Jersey Headquarters: 65 Industrial Road, Lodi, NJ 07644 Tel. 1.888.946.2682 | Fax: 1.888.946.2632


California Distribution Center 14950-14952 Valley View Avenue, La Mirada, CA 90638 Tel. 1.888.946.2652 | Fax: 1.562.926.5678



Model: EICS-18 | EICS-18C | EICS-34



TOP VIEW



MODEL	DESCRIPTION	OVERALL DIMENSIONS			VOLTS	HZ	WATTS	AMPS	PLUG	SHIP
		LENGTH	DEPTH	HEIGHT	VOLIS	П	VVAIIS	AIVIPS	PLUG	WEIGHT
EICS-18	8C Induction Cooker			_	120V	60 Hz	1800W	15A	NEMA 5-15P	
EICS-18C		14-3/16" (360mm)	18-1/8" (460mm)	5-1/8" (129mm)	120V	60 Hz	1800W	15A	NEMA 5-20P	37.5 lbs (17.01 kgs)
EICS-34		(3331111)	(.5511111)	(.2,,,,,,,	240V	60 Hz	3400W	15A	NEMA 6-20P	(17.61 kgs)

Cord Location

Back of unit on right side

Plug Configurations



Product Specs

Electric Countertop Induction Cookers

The Electric Countertop Induction Cookers models EICS-18, EICS-18C and EICS-34 as manufactured by Winco\$, Lodi, NJ 07644 and EICS-18C and EICS-34 as manufactured by Winco\$, Lodi, NJ 07644 and EICS-18C and EICS-34 as manufactured by Winco\$, Lodi, NJ 07644 and EICS-18C and EICS

The Electric Countertop Induction Cooker model EICS-18 shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-15P plug, model EICS-18C shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-20P plug, and model EICS-34 shall be rated at 3400 Watts, 240V~60Hz/1 and supplied with a NEMA 6-20P plug. Units shall be stainless steel body construction and equipped with easy to use digitally controls for wattage and temperature from warming to cooking for optimal cooking efficiency, control and speed (1800 Watt models range 100-1800W, 3400 Watt models range 500-3400W), high-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface, accommodate pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm), small-article and pan detection, timer up to 150 min (2-1/2 hours), auto safety shut-off.

ETL listed for safety and sanitation.

Warranty consists of one year parts and labor.

Winco®, DWL International Trading, LLC

www.wincous.com | equipsales@wincous.com

New Jersey Headquarters: 65 Industrial Road, Lodi, NJ 07644 Tel. 1.888.946.2682 | Fax: 1.888.946.2632

California Distribution Center 14950-14952 Valley View Avenue, La Mirada, CA 90638 Tel. 1.888.946.2652 | Fax: 1.562.926.5678





Models: EICS-18 | EICS-18C | EICS-34

Safer than traditional gas or electric resistance burners, induction cooktops use magnetism to rapidly heat up induction cookware, which in turn heats up food. The ideal choice for tableside, catering and buffet-line cooking, induction cooktops are faster and more efficient than installed gas stovetops.

Standard Features

- Stainless steel body construction
- ◆ Compact, easy-to-clean, portable
- Easy to use digitally controlled wattage and temperature from warming to cooking for optimal cooking efficiency, control and speed
- ◆ 1800 Watt models: 100-1800W
- ◆ 3400 Watt models: 500-3400W
- ◆ High-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface
- ◆ Accommodates pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm)
- Small-article and pan detection
- ◆ Timer up to 150 min (2-1/2 hours)
- Auto safety shut-off
- ◆ ETL listed for safety and sanitation
- One year parts and labor warranty

















For U.S. and Canda

For U.S. only

EICS-18C For Canada only

Accessories and Options

INDUCTION READY COOKWARE

Winco Tri-Gen Induction Cookware

Winco Premium Stainless Steel Cookware

Winco Induction Ready Aluminum Cookware

Winco Fire Iron Cast Iron Enameled and Pre-Seasoned Cookware

For California Customers


WARNING: Cancer and Reproductive Harm - <u>www.P65Warnings.ca.gov</u>

Winco®, DWL International Trading, LLC


www.wincous.com | equipsales@wincous.com



Model: EICS-18 | EICS-18C | EICS-34



TOP VIEW



MODEL	DESCRIPTION	OVERALL DIMENSIONS			VOLTS	HZ	WATTS	AMPS	PLUG	SHIP
		LENGTH	DEPTH	HEIGHT	VOLIS	ПД	WAIIS	AIVIPS	PLUG	WEIGHT
EICS-18	Induction Cooker			5-1/8" (129mm)	120V	60 Hz	1800W	15A	NEMA 5-15P	37.5 lbs (17.01 kgs)
EICS-18C			18-1/8" (460mm)		120V	60 Hz	1800W	15A	NEMA 5-20P	
EICS-34		(3331111)	(.5511111)		240V	60 Hz	3400W	15A	NEMA 6-20P	

Cord Location

Back of unit on right side

Plug Configurations



Product Specs

Electric Countertop Induction Cookers

The Electric Countertop Induction Cookers models EICS-18, EICS-18C and EICS-34 as manufactured by Winco®, Lodi, NJ 07644

The Electric Countertop Induction Cooker model EICS-18 shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-15P plug, model EICS-18C shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-20P plug, and model EICS-34 shall be rated at 3400 Watts, 240V~60Hz/1 and supplied with a NEMA 6-20P plug. Units shall be stainless steel body construction and equipped with easy to use digitally controls for wattage and temperature from warming to cooking for optimal cooking efficiency, control and speed (1800 Watt models range 100-1800W, 3400 Watt models range 500-3400W), high-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface, accommodate pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm), small-article and pan detection, timer up to 150 min (2-1/2 hours), auto safety shut-off.

ETL listed for safety and sanitation.

Warranty consists of one year parts and labor.

Winco®, DWL International Trading, LLC


www.wincous.com | equipsales@wincous.com

New Jersey Headquarters: 65 Industrial Road, Lodi, NJ 07644 Tel. 1.888.946.2682 | Fax: 1.888.946.2632


California Distribution Center 14950-14952 Valley View Avenue, La Mirada, CA 90638 Tel. 1.888.946.2652 | Fax: 1.562.926.5678



Model: EICS-18 | EICS-18C | EICS-34



TOP VIEW



MODEL	DESCRIPTION	OVERALL DIMENSIONS			VOLTS	HZ	WATTS	AMPS	PLUG	SHIP
		LENGTH	DEPTH	HEIGHT	VOLIS	П	VVAIIS	AIVIPS	PLUG	WEIGHT
EICS-18	Induction Cooker	_			120V	60 Hz	1800W	15A	NEMA 5-15P	
EICS-18C		14-3/16" (360mm)	18-1/8" (460mm)	5-1/8" (129mm)	120V	60 Hz	1800W	15A	NEMA 5-20P	37.5 lbs (17.01 kgs)
EICS-34		(3331111)	(.5511111)	(.2,,,,,,,	240V	60 Hz	3400W	15A	NEMA 6-20P	1 (17.61 kgs)

Cord Location

Back of unit on right side

Plug Configurations



Product Specs

Electric Countertop Induction Cookers

The Electric Countertop Induction Cookers models EICS-18, EICS-18C and EICS-34 as manufactured by Winco\$, Lodi, NJ 07644 and EICS-18C and EICS-34 as manufactured by Winco\$, Lodi, NJ 07644 and EICS-18C and EICS-34 as manufactured by Winco\$, Lodi, NJ 07644 and EICS-18C and EICS

The Electric Countertop Induction Cooker model EICS-18 shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-15P plug, model EICS-18C shall be rated at 1800 Watts, 120V~60Hz/1 and supplied with a NEMA 5-20P plug, and model EICS-34 shall be rated at 3400 Watts, 240V~60Hz/1 and supplied with a NEMA 6-20P plug. Units shall be stainless steel body construction and equipped with easy to use digitally controls for wattage and temperature from warming to cooking for optimal cooking efficiency, control and speed (1800 Watt models range 100-1800W, 3400 Watt models range 500-3400W), high-impact and high-heat resistant 11-13/16" x 11-13/16" (299mm x 299mm) glass-ceramic cooking surface, accommodate pan sizes between 4-1/2" (114 mm) to 10-1/2" (267mm), small-article and pan detection, timer up to 150 min (2-1/2 hours), auto safety shut-off.

ETL listed for safety and sanitation.

Warranty consists of one year parts and labor.

Winco®, DWL International Trading, LLC

www.wincous.com | equipsales@wincous.com

New Jersey Headquarters: 65 Industrial Road, Lodi, NJ 07644 Tel. 1.888.946.2682 | Fax: 1.888.946.2632

California Distribution Center 14950-14952 Valley View Avenue, La Mirada, CA 90638 Tel. 1.888.946.2652 | Fax: 1.562.926.5678